

We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

4,200

Open access books available

116,000

International authors and editors

125M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.
For more information visit www.intechopen.com



Introductory Chapter: Magnesium Alloys

Tomasz Tański and Mariusz Król

Additional information is available at the end of the chapter

<http://dx.doi.org/10.5772/intechopen.81761>

1. Introduction

Today the development of techniques and technologies makes it necessary to look for new design solutions which aim to improve efficiency, product quality and reliability. Before selecting the material, the analysis of requirements is carried out. The demand for using materials with the lowest density and good properties has been increasing for years [1, 2].

Currently trends in the development of techniques tend to reduce the weight of finished products, machines or constructions. This is dictated by ecology and reduced energy consumption. It also results in a growing interest in low-density materials, mainly magnesium and its alloys [1–3].

Magnesium is an element constituting 2.74% of the Earth's crust. It occurs in most countries in the form of various compounds and minerals. The most common ores are dolomites ($\text{MgCO}_3 \cdot \text{CaCO}_3$) and magnesites (MgCO_3). Another mineral used for the magnesium production is carnallite. Magnesium is also included in serpentine. Oceans are a rich source of magnesium, which contain approx. 0.13% of the metal in the salt solution as MgCl_2 and MgSO_4 . In 1808, the electrolysis of molten salts allowed Humphrey Davy, an English chemist, to extract pure active metals for the first time, including magnesium [4–6].

A French chemist Antoine Bussy, on the other hand, developed another method of producing metallic magnesium. He published in *Mémoire sur le Radical métallique de la Magnésie* (1831) the process of obtaining magnesium which involves heating magnesium chloride (MgCl_2) and potassium (K) in the retort [1, 3, 4].

After dissolving potassium chloride (KCl) formed as a result of the reaction, pure magnesium remained in the retort. In the mid-nineteenth century, this method allowed magnesium production in Paris and Manchester which was initially almost entirely devoted to photography. Metallic magnesium was obtained in the form of a wire or powder. In 1852, Robert Bunsen using the Davy's concept constructed a bath for the electrolysis of molten magnesium chloride. Several

years later, in 1886, the production of magnesium began in Germany using the modification of the Bunsen's bathtub. This process was jointly undertaken by Chemische Fabrik Griesheim-Elektron and Aluminium and Magnesium Fabrik on an industrial scale in 1896. What is more, between 1914 and 1915, it was the only major magnesium producer in the world [2].

Due to low mechanical properties, the element itself is not used as a construction material. Magnesium alloys, however, are completely different. They present much better mechanical and strength properties taking special care to maintaining their most important low-density advantage through various modifying treatments. The interest in these rates dates back to the beginning of the twentieth century. Classical magnesium alloys are a combination of aluminium, magnesium, manganese and zinc. Magnesium combined with lithium forms ultralight alloys that have many uses. Since it is a reasonable material, it offers great possibilities and is constantly tested at various angles of applications and properties [2–4].

A few decades ago, magnesium alloys were used mainly for military purposes. Today due to the development in plastic deformation, heat treatment and manufacturing (e.g. cooling by high cooling rate, thixocasting), they are used in other fields, such as the automotive or aerospace industries.

In addition to low density, they exhibit many other benefits, such as good corrosion and castability, high dimensional stability and resistance to shocks and impacts, low shrinkage, the ability to be applied to 300°C elements as well as the ease of welding and recycling [4–7].

Magnesium, previously used for military purposes, seems to fit perfectly to the requirements of the currently prevailing technology. Low density, with appropriate mechanical properties (strength, high operating temperature), good foundry properties (high castability and low shrinkage), vibration damping ability, and cost-effectiveness of recycling, seem to be an ideal response to market needs [1–3, 7].

All things considered, magnesium alloys are the perfect material used in various industries starting from the automotive industry, through sport, electronics up to the space industry and defence.

That work was developed by experts in various areas of magnesium science and technology. It gives a general idea of modern advancements in theory and practical purposes of magnesium alloys. The book reports fundamental aspects of corrosion types, details about magnesium alloys designed to work in elevated temperature and superplastic behaviour. Fundamentals, broad experience, theory as well as complex technological aspects make this work helpful for engineers and scientists from all over the world.

Author details

Tomasz Tański* and Mariusz Król

*Address all correspondence to: tomasz.tanski@polsl.pl

Institute of Engineering Materials and Biomaterials at Silesian University of Technology,
Poland

References

- [1] Friedrich H, Mordike B. *Magnesium Technology*. Berlin Heidelberg: Springer-Verlag; 2006. DOI: 10.1007/3-540-30812-1
- [2] Dobrzanski LA, Tanski T, Malara S, Krol M, Domagala-Dubiel J. Contemporary forming methods of the structure and properties of cast magnesium alloys. In: Czerwinski F, editor. *Magnesium Alloys—Design, Processing and Properties*. Rijeka, Croatia: Intech; 2011
- [3] StJohnl DH, Dahlel AK, Abbott T, Navel MD, Ma Qianl. Solidification of Cast Magnesium Alloys. In: Kaplan HI, editor. *Magnesium Technology*. The Minerals, Metals & Materials Society; 2003
- [4] Mathaudhu SN, Luo AA, Neelameggham NR, Nyberg EA, Sillekens WH. *Essential Readings in Magnesium Technology*. Hoboken, NJ, USA: John Wiley & Sons, Inc.; 2014. pp. 1-634
- [5] Gupta MS, Ling NM. *Introduction to Magnesium, Magnesium Alloys, and Magnesium Composites*. Wiley; 2011. pp. 1-12
- [6] Xianhua C, Yuxiao G, Fusheng P. Research progress in magnesium alloys as functional materials. *Rare Metal Materials and Engineering*. 2016;**45**(9):2269-2274
- [7] Ciach R. Advanced light alloys and composites. *Journal of Chemical Information and Modeling*. 1989;**53**:160

IntechOpen

