

# We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

5,500

Open access books available

135,000

International authors and editors

165M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index  
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?  
Contact [book.department@intechopen.com](mailto:book.department@intechopen.com)

Numbers displayed above are based on latest data collected.  
For more information visit [www.intechopen.com](http://www.intechopen.com)



# Obstacle Detection and Track Detection in Autonomous Cars

*Ayesha Iqbal*

## Abstract

This chapter illustrates the history and recent advancements in the field of Autonomous Vehicles with regard to two important concerns that play the most vital role in successful implementation and working of an Autonomous Car: (1) Obstacle Detection and (2) Track Detection. The car should be able to detect the obstacles for smooth and efficient working in order to avoid accident and collision. It should also be able to calculate the distance of the obstacle from the car. Similarly, Track Detection is also important as the autonomous car should stay within a predefined track and has to keep itself within the yellow lines on both sides of the road. This chapter elaborates the technologies and advancements that have been presented in the literature till date that deal with Obstacle Detection and Track Detection in Autonomous Cars/Vehicles.

**Keywords:** autonomous cars, obstacle detection, self-driving cars, track detection, unmanned vehicle

## 1. Introduction

An autonomous car is a vehicle that can guide itself without human command and control. It is also known as a driverless car, self-driving car, unmanned vehicle or a robot car. Autonomous vehicles are able to perceive their surroundings (obstacles and track) and commute to destination with the help of a combination of sensors, cameras and radars. Advanced control systems can interpret the information provided by sensors to detect obstacles and choose the most suitable navigation path for the vehicle. Enormous research has been carried out to bring the idea of autonomous car to life. Now a days, such vehicles have become a concrete reality and they have been created and extensively tested on roads, although they are not yet commercially available on a large scale.

In autonomous vehicles, one of the most important features is the correct and accurate detection of obstacles as well as the track of the vehicle. The vehicle or car should be able to detect the presence of an obstacle precisely and well in time so that it can stop itself at a safe distance in order to avoid the collision. Track detection is also a very important factor as the vehicle must be able to keep itself within the limits of track and follow the lines on the road in order to remain rightly on the track and to follow the lane as well.

This chapter deals with the study of various different approaches for obstacle detection and track detection that have been studied/implemented in the literature by different researchers. Vehicle safety systems are generally classified into types [1]:

(1) Active (DAS: Driver Assistance Systems) and (2) Passive. Active systems include collision avoidance system, automatic braking, adaptive cruise control and lane departure warning system, whereas, passive systems generally comprise features such as seat belts, air bags, crumple zones and laminated windshields. Therefore, obstacle detection and track detection falls into the category of active vehicle safety systems.

## 2. Sensor-based approach

The most common and widely used approach for both obstacle detection and track detection is the sensor-based approach. A number of different sensors and related technologies have been discussed in the literature. [1] discusses almost all general types of sensors used for collision avoidance that include: Acoustic, Radar, Laser/LiDAR, Optical sensors and the fusion of sensors. It also discusses their advantages and disadvantages.

Sensors can be broadly classified into two categories [2]: (1) Co-operative sensors and (2) Non co-operative sensors. They are summarized in **Table 1**.

The most commonly used sensors in autonomous vehicles are LiDAR and RADAR that are discussed below:

### 2.1 LiDAR sensors

In [3], a 2D laser sensor is used for obstacle detection and tracking. In [4], an automatic obstacle detection and tracking system has been introduced that fuses 3D Light Detection and Ranging (LiDAR) and 2D image data for efficient inter-distance and anti-collision management. In [5], a more sophisticated road boundary and obstacle detection scheme has been used using a downward-looking LiDAR sensor. Another study [6] presents a LiDAR and wireless sensor-based real time obstacle detection method.

### 2.2 RADAR sensors

Many researches have discussed use of radar sensors for obstacle and track detection [1, 7–8]. [7] uses radar sensors and uses vision and radar data fusion system for ground-based navigation. [8] uses radar and vision sensors for accurate detection of obstacles.

Cooperative Sensors	<ul style="list-style-type: none"> <li>• Traffic Alert Collision Avoidance System (TCAS)</li> <li>• Automatic dependent surveillance and broadcasting (ADS-B)</li> </ul>
Non Cooperative Sensors	<ul style="list-style-type: none"> <li>• RADAR</li> <li>• Sonar</li> <li>• LiDAR</li> <li>• Electro-Optical</li> <li>• Infrared Sensors</li> <li>• Acoustic Sensors</li> </ul>
Sensor Fusion	<ul style="list-style-type: none"> <li>• To fuse the information obtained from different sensors</li> </ul>

**Table 1.**  
*Types of sensors.*

### 3. Camera-based approach

The second most popular approach is the camera-based approach that is used for detecting the track and obstacles in autonomous vehicles. Some researchers consider it a sub-category of sensor-based approach but due to the diversity and a broad range of camera-based detection schemes, it has been presented as a separate category.

Camera-based detection methods have been classified into three categories: (1) Knowledge based; (2) Stereo vision based, and (3) Motion based [4]. These categories have been summarized in **Table 2**.

In [9], detection and tracking of obstacles is done from a camera mounted on a vehicle with a view to driver assistance. [10] discusses tracking of people and objects with an autonomous UAV using two schemes: (1) Face Detection and (2) Color Detection. In [11], a robust vehicle detection system is described that detects vehicles in the rear view of the host car. It records the motion parameters of the host vehicle to determine the driven path. [12] introduces ROBOG, an image-based detection system, that is meant for road detection for unstructured roads.

Knowledge-based approach	<ul style="list-style-type: none"><li>• A priori knowledge of obstacles: symmetry, color, shadow, corners, vertical and horizontal edges</li></ul>
Stereo vision-based approach	<ul style="list-style-type: none"><li>• Using a disparity map</li><li>• Using inverse perspective mapping (IPM)</li></ul>
Motion-based approach	<ul style="list-style-type: none"><li>• Using optical flow</li></ul>

**Table 2.**  
*Summary of camera-based detection methods.*

### 4. Deep learning-based approach

There are also many deep learning approaches available for obstacle detection and tracking. In [13], one such approach is discussed which uses multiple sources of local patterns and depth information to yield robust on-road vehicle and pedestrian detection, recognition, and tracking. [14] discusses obstacle detection and classification using deep learning for tracking in high-speed autonomous driving.

### 5. Bio-inspired approach

A relatively uncommon and novel approach is to use a monocular camera to mimic the human behavior of obstacle detection and avoidance applied on UAVs [15]. It can be considered a sub-category of camera-based approach, but due to its novelty from the conventional camera-based approaches, it has been presented as a separate category. Similarly, [16] also discusses a bionic vision inspired approach using radar and visual information.

### 6. Computer-vision-based approach using PID controller

Another approach discussed in the literature [17] is a mechatronics system comprising a PID controller which predicts and controls the vehicle heading angle in order to follow the lane or to avoid the obstacles.

## **7. Laser scanner-based approach**

Some studies present the use of laser scanner/rangefinder in order to implement obstacle detection and road following in an outdoor environment [18, 19]. This technique outperforms the commonly used camera-based vision techniques in situations such as different weather conditions (e.g. sun, rain, and fog), and different appearances of road (e.g. clay, mud, gravel, sand, and asphalt) [18].

## **8. Conclusion**

Detecting an obstacle and keeping a track of the lane and road is one of the primary objectives in an autonomous vehicle. In this chapter, various studies and researches have been discussed that are present in the literature and focus on the obstacle detection and track detection features in autonomous cars. A wide variety of techniques discussed in the literature have been categorized and summarized according to the methodology and application of a particular technique. This chapter helps understanding and categorizing the different techniques used for obstacle detection and tracking as well as the researches that refer to these techniques.


### **Author details**

Ayesha Iqbal

University of Management and Technology, Lahore, Pakistan

\*Address all correspondence to: [ayeshaiqbal\\_online@hotmail.com](mailto:ayeshaiqbal_online@hotmail.com)

### **IntechOpen**

© 2020 The Author(s). Licensee IntechOpen. Distributed under the terms of the Creative Commons Attribution - NonCommercial 4.0 License (<https://creativecommons.org/licenses/by-nc/4.0/>), which permits use, distribution and reproduction for non-commercial purposes, provided the original is properly cited. 

## References

- [1] Mukhtar A, Xia L, Tang TB. Vehicle detection techniques for collision avoidance systems: A review. *IEEE Transactions on Intelligent Transportation Systems*. 2015;**16**:2318-2338. DOI: 10.1109/TITS.2015.2409109
- [2] Chand BN, Mahalakshmi P, Naidu VPS. Sense and avoid technology in unmanned aerial vehicles: A review. In: *International Conference on Electrical, Electronics, Communication, Computer, and Optimization Techniques (ICEECCOT)*. Mysuru: IEEE; 2017. pp. 512-517
- [3] Habermann D, Garcia C. Obstacle detection and tracking using laser 2D. In: *Latin American Robotics Symposium and Intelligent Robotics Meeting*. Sao Bernardo do Campo: IEEE; 2010. pp. 120-125
- [4] Aijazi AK, Checchin P, Trassoudaine L. Multi sensorial data fusion for efficient detection and tracking of road obstacles for inter-distance and anti-collision safety management. In: *3rd International Conference on Control, Automation and Robotics (ICCAR)*. Nagoya: IEEE; 2017. pp. 617-621
- [5] Han J, Kim D, Lee M, Sunwoo M. Enhanced road boundary and obstacle detection using a downward-looking LiDAR sensor. *IEEE Transactions on Vehicular Technology*. 2012;**61**:971-985. DOI: 10.1109/TVT.2012.2182785
- [6] Zhang J, Han J, Wang S, Liao Y, Li P. Real time obstacle detection method based on LIDAR and wireless sensor. *Chinese Automation Congress (CAC)*. Jinan: IEEE; 2017. pp. 5951-5955
- [7] Jha H, Lodhi V, Chakravarty D. Object detection and identification using vision and radar data fusion system for ground-based navigation. In: *6th International Conference on Signal Processing and Integrated Networks (SPIN)*. Noida, India: IEEE; 2019. pp. 590-593
- [8] Kim J, Han D S, Senouci B. Radar and Vision sensor fusion for object detection in autonomous vehicle surroundings. In: *Tenth International Conference on Ubiquitous and Future Networks (ICUFN)*. Prague: IEEE; 2018. pp. 76-78
- [9] Lefaix G, Marchand T, Bouthemy P. Motion-based obstacle detection and tracking for car driving assistance. *Object Recognition Supported by User Interaction for Service Robots*. 2002;**4**:74-77
- [10] Surinta O, Khruahong S. Tracking people and objects with an autonomous unmanned aerial vehicle using face and color detection. In: *International Conference on Digital Arts, Media and Technology*. IEEE; 2019. pp. 206-210
- [11] Knoeppel C, Schanz A, Michaelis B. Robust vehicle detection at large distance using low resolution cameras. In: *Proceedings of the IEEE Intelligent Vehicles Symposium*. Dearborn, MI, USA: IEEE; 2000. pp. 267-272
- [12] Kumar RK, Jada C, Feroz MGI, Kumar VA, Yenala H. ROBOG: An autonomously navigating vehicle based on road detection for unstructured road. In: *International Conference on Signal Processing and Communication Engineering Systems*. Guntur: IEEE; 2015. pp. 29-33
- [13] Nguyen VD, Nguyen HV, Tran DT, Lee SJ, Jeon JW. Learning framework for robust obstacle detection, recognition, and tracking. *IEEE Transactions on Intelligent Transportation Systems*. 2017;**18**:1633-1646. DOI: 10.1109/TITS.2016.2614818
- [14] Prabhakar G, Kailath B, Natarajan S, Kumar R. Obstacle



detection and classification using deep learning for tracking in high-speed autonomous driving. In: IEEE Region 10 Symposium (TENSYP). Cochin. IEEE; 2017. pp. 1-6

[15] Al-Kaff A, Meng Q, Martin D, Escalera A, Armingol JM. Monocular vision-based obstacle detection/avoidance for unmanned aerial vehicles. In: IEEE Intelligent Vehicles Symposium (IV). Gothenburg: IEEE; 2016. pp. 92-97

[16] Wang X, Xu L, Sun H, Xin J, Zheng N. Bionic vision inspired on-road obstacle detection and tracking using radar and visual information. In: 17th International IEEE Conference on Intelligent Transportation Systems (ITSC). Qindao: IEEE; 2014. pp. 39-44

[17] Al-Zaher TSA, Bayoumy AM, Sharaf AM, El-din YHH. Lane tracking and obstacle avoidance for autonomous ground vehicles. In: 9th France-Japan & 7th Europe-Asia Congress on Mechatronics (MECATRONICS)/13th Int'l Workshop on Research and Education in Mechatronics (REM). Paris: IEEE; 2012. pp. 264-271

[18] Xu Z, Zhuang Y, Chen H. Obstacle detection and road following using laser scanner. In: 6th World Congress on Intelligent Control and Automation. Dalian: IEEE; 2006. pp. 8630-8634

[19] Wang X, Li H, Liu B. Object tracking and state estimation in outdoor scenes based on 3D laser scanner. In: IEEE International Conference on Signal and Image Processing (ICSIP). Beijing: IEEE; 2016. pp. 607-611